




Order no.: 167510

**Mobile scaffolding,
1.35 × 2.45 m, with
inclined ascents &
outrigger. Platform height
10.35 m**

Accessories for the product family




Order no.: 027993

**Safety railing for
mobile scaffolding**



Order no.: 027912

**Ballast weight with
hanging brackets
RAL 1021**



Order no.: 019081

**Clip tray for tubes
Ø 50 mm**



Order no.: 027920

**Wall spacer
adjustable
Adjustable up to
1.0 m**



Order no.: 070506

**Frame extension
can be clamped on
Adjustment range
max. 400 mm**



Order no.: 019274

**Storage tray 500 x
220 mm Clamping
range 38–51 mm**



Order no.: 019276

**Storage tray 800 x
300 mm Clamping
range 38–51 mm**



Order no.: 027928

**Entry frame
135/196**



Order no.: 027901

**Push-fit frame
135/196**



Order no.: 027956

**Railing lengthwise
2,450 mm**



Order no.: 027985

Platform with longitudinal flap
For scaffolding length: 2.45 m



Order no.: 027930

Platform without flap
For scaffolding length: 2.45 m



Order no.: 027911

Toe board front side
For scaffolding width: 1.35 m




Order no.: 027914

Toe board long side
For scaffolding length: 2.45 m



Order no.: 027963

Inclined ascent below
For stair scaffolding For scaffolding length: 2.45 m



Order no.: 027964

Inclined ascent For stair scaffolding
For scaffolding length: 2.45 m



Order no.: 027983

Handrail for mobile scaffolding with inclined ascent
For scaffolding length: 2.45 m



Order no.: 027967

Top handrail for mobile scaffolding with inclined ascent
For scaffolding length: 2.45 m



Order no.: 027908

Diagonal brace
2.45 m



Order no.: 027907

Horizontal strut For scaffolding length: 2.45 m



Order no.: 027926

Triangular outrigger



Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm



Order no.: 027940

Step-on bracket



Order no.: 070508

Safety door on front side Push-fit frame 1.35



Order no.: 070522

Scaffolding connector set For scaffolding width: 1.35 m



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 019137

Spring clip for mobile scaffolding with long pin, open



Order no.: 070520

Scaffolding strut telescopic 2,120–3,400 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 019176

Inventory sticker



Order no.: 019175

Inspection sticker 40 x 40 mm



Order no.: 027902

Push-fit frame 135/112