


Order no.: 167220

Mobile scaffolding,  
1.35 × 3.0 m, with  
inclined ascents &  
outrigger. Platform height  
4.47 m




### Accessories for the product family




Order no.: 027994

Safety railing for  
mobile scaffolding




Order no.: 027928

Entry frame  
135/196




Order no.: 027901

Push-fit frame  
135/196



Order no.: 027957

Railing lengthwise  
3,000 mm



Order no.: 027986

Platform with  
longitudinal flap  
For scaffolding  
length: 3.0 m



Order no.: 027934

**Platform without flap**  
For scaffolding  
length: 3.0 m



Order no.: 027911

**Toe board front side**  
For scaffolding  
width: 1.35 m




Order no.: 027944

**Toe board long side**  
For scaffolding  
length: 3.0 m



Order no.: 027965

**Inclined ascent below**  
For stair scaffolding  
For scaffolding length: 3.0 m



Order no.: 027966

**Inclined ascent For stair scaffolding**  
For scaffolding length: 3.0 m



Order no.: 027984

**Handrail for mobile scaffolding with inclined ascent**  
For scaffolding length: 3.0 m



Order no.: 027968

**Top handrail for mobile scaffolding with inclined ascent**  
For scaffolding length: 3.0 m



Order no.: 027938

**Diagonal brace 3 m**



Order no.: 027936

**Horizontal strut** For scaffolding length: 3.0 m



Order no.: 027926

**Triangular outrigger**



Order no.: 027917

**Swivel castor with spindle height adjustable** Ø 200 mm




Order no.: 027940

**Step-on bracket**



Order no.: 027912

**Ballast weight with hanging brackets**  
RAL 1021



Order no.: 019081

**Clip tray for tubes**  
Ø 50 mm



Order no.: 027920

**Wall spacer adjustable**  
Adjustable up to 1.0 m



Order no.: 070506

Frame extension  
can be clamped on  
Adjustment range  
max. 400 mm



Order no.: 019274

Storage tray 500 x  
220 mm Clamping  
range 38–51 mm



Order no.: 019276

Storage tray 800 x  
300 mm Clamping  
range 38–51 mm



Order no.: 070508

Safety door on  
front side Push-fit  
frame 1.35



Order no.: 070522

Scaffolding  
connector set For  
scaffolding width:  
1.35 m



Order no.: 019136

Spring clip for  
mobile scaffolding  
with short pin,  
closed



Order no.: 019137

Spring clip for  
mobile scaffolding  
with long pin, open



Order no.: 070520

Scaffolding strut  
telescopic 2,120–  
3,400 mm



Order no.: 027104

Height-adjustable  
spindle



Order no.: 027922

Swivel castor with  
spindle, non-  
marking grey height  
adjustable Ø 200  
mm



Order no.: 027921

Swivel castor with  
spindle, electrically  
conductive height  
adjustable Ø 200  
mm



Order no.: 027958

Swivel castor Ø  
200 mm With  
parking brake and  
pin



Order no.: 019176

Inventory sticker



Order no.: 019175

Inspection sticker  
40 x 40 mm