



Order no.: 155645

**Mobile scaffolding,
0.75 × 2.45 m, with
chassis bar. Platform
height 6.62 m**

Accessories for the product family



Order no.: 027993

**Safety railing for
mobile scaffolding**



Order no.: 027904

**Push-fit frame
75/196**



Order no.: 027956

**Railing lengthwise
2,450 mm**



Order no.: 027910

**Platform with
trapdoor For
scaffolding length:
2.45 m**



Order no.: 027913

**Toe board front
side For scaffolding
width: 0.75 m**



Order no.: 027914

**Toe board long side
For scaffolding
length: 2.45 m**



Order no.: 027908

**Diagonal brace
2.45 m**



Order no.: 027907

**Horizontal strut For
scaffolding length:
2.45 m**



Order no.: 027923

Chassis bar 2 m



Order no.: 027917

**Swivel castor with
spindle height
adjustable Ø 200
mm**




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets
RAL 1021



Order no.: 019081

Clip tray for tubes
Ø 50 mm



Order no.: 027920

Wall spacer adjustable
Adjustable up to 1.0 m



Order no.: 070506

Frame extension
can be clamped on
Adjustment range
max. 400 mm



Order no.: 019274

Storage tray 500 x 220 mm
Clamping range 38–51 mm



Order no.: 019276

Storage tray 800 x 300 mm
Clamping range 38–51 mm



Order no.: 019175

Inspection sticker
40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 070507

Safety door on front side
Push-fit frame 0.75



Order no.: 070505

Scaffolding connector set
For scaffolding width:
0.75 m



Order no.: 019136

Spring clip for mobile scaffolding
with short pin,
closed



Order no.: 070520

Scaffolding strut telescopic
2,120–3,400 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey
height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027905

Push-fit frame 75/112