


Order no.: 172235

Mobile scaffolding
0.75 × 3.0 m Platform
height 2.51 m




Accessories for the product family




Order no.: 027994

**Safety railing for
mobile scaffolding**




Order no.: 027904

**Push-fit frame
75/196**




Order no.: 027957

**Railing lengthwise
3,000 mm**



Order no.: 027933

**Platform with
trapdoor For
scaffolding length:
3.0 m**



Order no.: 027913

**Toe board front
side For scaffolding
width: 0.75 m**



Order no.: 027944

Toe board long side
For scaffolding
length: 3.0 m



Order no.: 027938

Diagonal brace 3 m



Order no.: 027936

Horizontal strut For scaffolding
length: 3.0 m



Order no.: 027917

Swivel castor with spindle height adjustable
Ø 200 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets
RAL 1021



Order no.: 019081

Clip tray for tubes
Ø 50 mm



Order no.: 027920

Wall spacer adjustable
Adjustable up to 1.0 m



Order no.: 070506

Frame extension can be clamped on
Adjustment range max. 400 mm



Order no.: 019274

Storage tray 500 x 220 mm Clamping
range 38–51 mm



Order no.: 019276

Storage tray 800 x 300 mm Clamping
range 38–51 mm



Order no.: 019175

Inspection sticker
40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 070507

Safety door on front side Push-fit
frame 0.75



Order no.: 070505

Scaffolding connector set For scaffolding
width: 0.75 m



Order no.: 019136

**Spring clip for
mobile scaffolding
with short pin,
closed**



Order no.: 070520

**Scaffolding strut
telescopic 2,120–
3,400 mm**



Order no.: 027104

**Height-adjustable
spindle**



Order no.: 027922

**Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm**



Order no.: 027921

**Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm**



Order no.: 027958

**Swivel castor Ø
200 mm With
parking brake and
pin**



Order no.: 027905

**Push-fit frame
75/112**