

Order no.: 168436

Mobile scaffolding,
1.35 × 2.45 m, with
outrigger & double
platform. Platform height
4.47 m



Accessories for the product family




Order no.: 027993
Safety railing for
mobile scaffolding



Order no.: 027901
Push-fit frame
135/196



Order no.: 027955
Railing lengthwise
1,800 mm



Order no.: 027931
Platform with
trapdoor For
scaffolding length:
1.8 m



Order no.: 027932
Platform without
flap For scaffolding
length: 1.8 m



Order no.: 027911
Toe board front
side For scaffolding
width: 1.35 m



Order no.: 027943
Toe board long side
For scaffolding
length: 1.8 m



Order no.: 027937
Diagonal brace 1.8
m



Order no.: 027935
Horizontal strut For
scaffolding length:
1.8 m



Order no.: 027926
Triangular outrigger



Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets RAL 1021



Order no.: 019081

Clip tray for tubes Ø 50 mm



Order no.: 027920

Wall spacer adjustable Adjustable up to 1.0 m



Order no.: 070506

Frame extension can be clamped on Adjustment range max. 400 mm



Order no.: 019274

Storage tray 500 x 220 mm Clamping range 38–51 mm



Order no.: 019276

Storage tray 800 x 300 mm Clamping range 38–51 mm



Order no.: 019175

Inspection sticker 40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 070508

Safety door on front side Push-fit frame 1.35



Order no.: 070522

Scaffolding connector set For scaffolding width: 1.35 m



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 019137

Spring clip for mobile scaffolding with long pin, open



Order no.: 070520

Scaffolding strut telescopic 2,120–3,400 mm



Order no.: 027104

**Height-adjustable
spindle**



Order no.: 027922

**Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm**



Order no.: 027921

**Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm**



Order no.: 027958

**Swivel castor Ø
200 mm With
parking brake and
pin**