

Order no.: 115139

**Folding scaffolding 0.75 x
1.80 m with outrigger
Platform height 4.04 m**



Accessories for the product family



Order no.: 027992

**Safety railing for
mobile scaffolding**



Order no.: 027971

**Folding frame unit,
0.75 m For
scaffolding length:
1.8 m**



Order no.: 027904

**Push-fit frame
75/196**



Order no.: 027955

**Railing lengthwise
1,800 mm**



Order no.: 027931

**Platform with
trapdoor For
scaffolding length:
1.8 m**



Order no.: 027913

**Toe board front
side For scaffolding
width: 0.75 m**



Order no.: 027943

**Toe board long side
For scaffolding
length: 1.8 m**



Order no.: 027937

**Diagonal brace 1.8
m**



Order no.: 027935

**Horizontal strut For
scaffolding length:
1.8 m**



Order no.: 027926

Triangular outrigger



Order no.: 027973

**Swivel castor with
spindle height
adjustable Ø 125
mm**




Order no.: 027940

Step-on bracket



Order no.: 027912

**Ballast weight with
hanging brackets
RAL 1021**



Order no.: 019081

**Clip tray for tubes
Ø 50 mm**



Order no.: 027920

**Wall spacer
adjustable
Adjustable up to
1.0 m**



Order no.: 070506

**Frame extension
can be clamped on
Adjustment range
max. 400 mm**



Order no.: 019274

**Storage tray 500 x
220 mm Clamping
range 38–51 mm**



Order no.: 019276

**Storage tray 800 x
300 mm Clamping
range 38–51 mm**




Order no.: 019175

**Inspection sticker
40 x 40 mm**



Order no.: 019176

Inventory sticker



Order no.: 019477

**Automatic steel
hinge for
scaffolding folding
frame**



Order no.: 070507

**Safety door on
front side Push-fit
frame 0.75**



Order no.: 019136

**Spring clip for
mobile scaffolding
with short pin,
closed**



Order no.: 019137

**Spring clip for
mobile scaffolding
with long pin, open**



Order no.: 070524

**Scaffolding strut
telescopic 1,700–
2,500 mm**



Order no.: 027104

**Height-adjustable
spindle**



Order no.: 027922

**Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm**



Order no.: 027921

**Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm**



Order no.: 027958

**Swivel castor Ø
200 mm With
parking brake and
pin**



Order no.: 027905

**Push-fit frame
75/112**