











Order no.: 115209

**Folding scaffolding 1.35 x
1.80 m with outrigger
Platform height 11.04 m**

Accessories for the product family





Order no.: 027935

Horizontal strut For scaffolding length: 1.8 m



Order no.: 027926

Triangular outrigger



Order no.: 027973

Swivel castor with spindle height adjustable Ø 125 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets RAL 1021



Order no.: 019081

Clip tray for tubes Ø 50 mm



Order no.: 027920

Wall spacer adjustable adjustable up to 1.0 m



Order no.: 070506

Frame extension can be clamped on Adjustment range max. 400 mm



Order no.: 019274

Storage tray 500 x 220 mm Clamping range 38–51 mm



Order no.: 019276

Storage tray 800 x 300 mm Clamping range 38–51 mm




Order no.: 019175

Inspection sticker 40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 019477

Automatic steel hinge for scaffolding folding frame



Order no.: 070508

Safety door on front side Push-fit frame 1.35



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 019137

Spring clip for
mobile scaffolding
with long pin, open



Order no.: 070524

Scaffolding strut
telescopic 1,700–
2,500 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm



Order no.: 027921

Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm



Order no.: 027959

Swivel castor Ø
125 mm With
parking brake and
pin



Order no.: 027958

Swivel castor Ø
200 mm With
parking brake and
pin