



Order no.: 167200

Mobile scaffolding,
1.35 × 1.80 m, with
inclined ascents &
outrigger. Platform height
4.47 m

Accessories for the product family



Order no.: 027992

Safety railing for
mobile scaffolding



Order no.: 027928

Entry frame
135/196



Order no.: 027901

Push-fit frame
135/196



Order no.: 027955

Railing lengthwise
1,800 mm



Order no.: 027970

Platform with
longitudinal flap
For scaffolding
length: 1.8 m



Order no.: 027932

Platform without flap
For scaffolding length: 1.8 m



Order no.: 027911

Toe board front side
For scaffolding width: 1.35 m



Order no.: 027943

Toe board long side
For scaffolding length: 1.8 m



Order no.: 027961

Inclined ascent below
For stair scaffolding For scaffolding length: 1.8 m



Order no.: 027962

Inclined ascent For stair scaffolding
For scaffolding length: 1.8 m



Order no.: 027929

Handrail for mobile scaffolding with inclined ascent
For scaffolding length: 1.8 m



Order no.: 027939

Top handrail for mobile scaffolding with inclined ascent
For scaffolding length: 1.8 m



Order no.: 027937

Diagonal brace 1.8 m



Order no.: 027935

Horizontal strut For scaffolding length: 1.8 m



Order no.: 027926

Triangular outrigger



Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets RAL 1021



Order no.: 019081

Clip tray for tubes Ø 50 mm



Order no.: 027920

Wall spacer adjustable
Adjustable up to 1.0 m



Order no.: 070506

Frame extension
can be clamped on
Adjustment range
max. 400 mm



Order no.: 019274

Storage tray 500 x
220 mm Clamping
range 38–51 mm



Order no.: 019276

Storage tray 800 x
300 mm Clamping
range 38–51 mm



Order no.: 070508

Safety door on
front side Push-fit
frame 1.35



Order no.: 070522

Scaffolding
connector set For
scaffolding width:
1.35 m



Order no.: 019136

Spring clip for
mobile scaffolding
with short pin,
closed



Order no.: 019137

Spring clip for
mobile scaffolding
with long pin, open



Order no.: 070524

Scaffolding strut
telescopic 1,700–
2,500 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm



Order no.: 027921

Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm



Order no.: 027958

Swivel castor Ø
200 mm With
parking brake and
pin



Order no.: 019176

Inventory sticker



Order no.: 019175

Inspection sticker
40 x 40 mm



Order no.: 027902

Push-fit frame
135/112