


Order no.: 027108

## Ergo platform with flap

Suitable for scaffolding length

- 1.8 m
- 2.45 m
- 3.0 m



### Specification

Length 1.89 m	Width 610 mm	Height 105 mm	Suitable for Mobile scaffolding   Folding scaffolding	Transport dimensions 1895 x 610 x 105 mm, 11 kg
Business division MUNK Günzburger Steigtechnik	Order no. 027108			

### Facts

- Scaffolding platform made of GFRP
- Less weight than standard platform (phenolic plywood)
- Easy assembly using round tube beams
- Note: Products with GFRP content are non-returnable, due to their sensitivity; the statutory warranty applies (ageing resistance 10 years)

## Scope of supply

- Platform: 1 x


## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



# Corporate certifications

on sustainability criteria



Management  
System  
ISO 9001:2015  
ISO 14001:2015  
  
www.tuv.com  
ID 9108612548



Nachhaltigkeit

EcoVadis  
sustainable supply management

CSR-Rating in Silber 2022