



Order no.: 019725

clip-step step padding by the metre

Length [mm]

1400

Specification

Product type	Length	Width	Height	Material
Accessories	1.4 m	85 mm	23 mm	Plastics
Weight 0.56 kg	Transport dimensions 1400 x 91 x 22 mm, 0.559 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019725	Price € 36.00

Facts

- Live up to the increased requirements on work safety and provide for optimised non-slip protection, safe footing and a comfortable stance on our step ladders
- The step padding made of grooved plastic is clipped onto the step to cover the whole surface and is custom-fit; it can be removed again without damage to the ladder and leaving no residue
- The clip-step step padding is applied up to the max. accessible step as per DIN EN 131 in the case of step ladders accessible from both sides, thus functioning as a visual check that the ladder is being used correctly



Scope of supply

Clip-step step padding: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Corporate certifications

on sustainability criteria









