



Order no.: 019853

clip-step R13 step
padding yellow

Length [mm]

1400	349	366	377	406	437	464	492
521							
550	578	607	636	665	693		

Specification

Product type Accessories	Colour version Yellow (RAL 1021)	Length 349 mm	Width 85 mm	Height 23 mm
Step depth 80 mm	Material Plastics	Transport dimensions 349 x 89 x 21 mm, 0.121 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019853

Facts

- The clip-step R 13 step padding is a certified, non-slip covering for our step ladders. With its plastic profile with aluminium oxide particles, the clip-step R13 step padding meets the specifications of classification group R13 and was classified as V6 for the displacement space in this classification group
- The clip-step R 13 step padding provides extra workplace safety, particularly in wet or oil-contaminated work environment
- The clip-step R13 step padding is clipped onto the step to cover the whole surface and is custom-fit; it can be removed again without damage to the ladder and leaving no residue
- The clip-step R13 step padding is fitted up to the highest accessible step as defined by DIN EN 131 for step ladders accessible from both sides, functioning as a visual check that the ladder is being used correctly

- Available as single accessory for 15.00 EUR
excl. VAT per piece (recommended retail price)
for your step ladders


Scope of supply

- Clip-step R13 step padding: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022