



Order no.: 019859

clip-step R13 step padding yellow

Length [mm]

1400	349	366	377	406	437	464	492
521							
550	578	607	636	665	693		

Specification

Product type	Colour version	Length	Width	Height
Accessories	Yellow (RAL 1021)	492 mm	85 mm	23 mm
Step depth 80 mm	Material Plastics	Transport dimensions 492 x 89 x 21 mm, 0.175 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019859

Facts

- The clip-step R 13 step padding is a certified, non-slip covering for our step ladders. With its plastic profile with aluminium oxide particles, the clip-step R13 step padding meets the specifications of classification group R13 and was classified as V6 for the displacement space in this classification group
- The clip-step R 13 step padding provides extra workplace safety, particularly in wet or oilcontaminated work environment
- The clip-step R13 step padding is clipped onto the step to cover the whole surface and is custom-fit; it can be removed again without damage to the ladder and leaving no residue
- The clip-step R13 step padding is fitted up to the highest accessible step as defined by DIN EN 131 for step ladders accessible from both sides, functioning as a visual check that the ladder is being used correctly



 Available as single accessory for 15.00 EUR excl. VAT per piece (recommended retail price) for your step ladders

Scope of supply

Clip-step R13 step padding: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures





Corporate certifications

on sustainability criteria







