



Order no.: 019199

Outside shoe for crosstube

Suitable for cross-tube with side-rail height [mm]

58

73

Specification

Product type Spare part	Length 105 mm	Width 63 mm	Depth of side-rails 73 mm	Width of side-rails 25 mm
Material Plastics	Transport dimensions 126 x 105 x 49 mm, 0.32 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019199	Spare part for article no.
Spare part for article no.	Spare part for article no.	Spare part for article no.	Spare part for article no.	Spare part for article no.
Spare part for article no.	Spare part for article no.	Spare part for article no.	Spare part for article no.	Spare part for article no.
Spare part for article no. 020824	Spare part for article no.	Spare part for article no.	Spare part for article no. 040352	Spare part for article no. 036812
Spare part for article no. 036814				

Facts

Outer shoe for cross-tube made of robust plastic



- Easy to install and remove without tools
- 1 set = 2 items

Scope of supply

Ladder shoe: 2 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures





Corporate certifications

on sustainability criteria







