



Order no.: 115464

# Step telescopic ladder Prime Line



Number of steps

9

13

# Specification

| Working height max.          | Number of steps/rungs          | Step depth   | Step/Rung distance            | Step design  |
|------------------------------|--------------------------------|--|-------------------------------|--|
| 4.9 m                        | 13 steps                       | 80 mm  | 300 mm                        | Steps  |
| Retracted length             | Extended length                | Inclination  | Outer width                   | Stabiliser width                                     |
| 930 mm                       | 4.1 m                          | 75 °   | 565 mm                        | 890 mm   |
| Max. load capacity<br>150 kg | Design type<br>To lean against | Transport dimensions<br>925 x 485 x 130 mm,<br>19.1 kg | Predecessor product<br>115474 | Business division<br>MUNK Günzburger<br>Steigtechnik |
| Order no.<br>115464          |                                |  |                               |  |

## **Facts**

- Original Telesteps telescopic ladder made of aluminium
- Sturdy triangular side-rails, anodised for abrasion resistance
- 80 mm deep, ribbed steps and three rungs (50 mm)
- High-strength step-to-side-rail connection



- Convenient height adjustment through intuitive telescopic function
- For ladder length 4.10 m including folding stabiliser (enclosed separately)

Step spacing: 300 mmMaximum load: 150 kg

 These products are covered by the statutory warranty

### Scope of supply

Ladder: 1 x

Instructions for use and operation: 1 x

Folding stabiliser (enclosed separately):

1 x

# Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic



### No health hazards for the users

# More product pictures









#### Added value

#### Easy handling

- Centrally mounted, automatically locking steel hinges for quick change of functions
- With Telesteps: Sturdy joints on folding units guarantee durability



#### Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



#### Flexible use

- Various application options
- Can be used as a height-adjustable step and straight ladder



#### Ratchet handles

- Easy to handle thanks to ergonomic shape
- Stable and safe thanks to steel core and aluminium cover



#### practical and compact

- Thanks to the telescopic function, the ladders can be folded/moved together to take up minimum space when not in use
- Space-saving storage and easy transport

#### Height adjustment

- The height-adjustable ladder sections are ideal for use on stairs
- Intuitive telescoping of the ladder through clearly visible levers or ratchet handles





### Safe standing

- Stabilisers in optimum widths for the ladder model
- Conical construction (without stabiliser) or bevelled rubber shoes



# Certificates





# Corporate certifications

### on sustainability criteria







