



Folding handle with spring



Specification

Material	Weight/piece	Dimension A	Dimension B	Dimension C
Galvanised steel	50 g	116.5 mm	88 mm	12.5 mm
Order no. 930607				

Facts

- Self-rebounding
- Sturdy design
- Slim structure
- Load bearing capacity: 70 kg

Description

Self-returning transport handle with 70 kg load capacity! The MUNK Profiltechnik spring-loaded folding handle combines powerful carrying strength with a space-saving design – automatically folding back after use to maximise space efficiency during heavy-duty transport tasks.

Automatic Return for Ergonomic Comfort

- Self-returning: Integrated spring ensures automatic return to the space-saving resting position after release
- High load capacity: 70 kg rated for transporting heavy goods and equipment



 Slim design: Only 12.5 mm installation height with robust construction for minimal space usage

Durable Construction for Continuous Use

Galvanised steel: Corrosion-resistant steel construction for long-lasting performance in industrial and outdoor environments. Compact dimensions: 116.5×88×12.5 mm with just 50 g weight – perfect for frequently used transport solutions.

Ergonomic Use Without Obstruction

The spring mechanism prevents permanent protrusion from the housing and allows ergonomic gripping only when needed – ideal for trolleys, mobile frames, or service hatches that should remain flush in everyday use.

Typical Applications

- Transport trolleys: Ergonomic grips for tugger train systems and order picking carts
- Machine frames: Transport handles for mobile test benches and equipment
- Service hatches: Space-saving handles on maintenance and access panels
- Workstations: Portable assembly tables and mobile workbenches

Discover the MUNK spring-loaded folding handle – the powerful transport solution that carries heavy loads today and automatically saves space when not in use.

Scope of supply

■ Folding handle: 1 x

Information on sustainability criteria



Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Corporate certifications

Standards for quality and sustainability









