



Order no.: 930603

Swivel castor 125 mm with locking device

Diameter [mm]

125

Specification

Castor diameter	Material	Weight/piece	Dimension A	Dimension B
125 mm	Galvanised steel	700 g	57 mm	57 mm
Dimension H 158 mm	Thickness t 32 mm	Order no. 930603		

Facts

- Pressed from sheet steel
- With two ball bearing arrangements in the slewing ring
- With "stop-fix" locking device
- Rim/wheel body made from high-quality, unbreakable polypropylene
- Tyre/tread made from high-quality thermoplastic rubber elastomer (TPE)
- Load-bearing capacity: 120 kg

Description

Secure standing and effortless rolling in one! The MUNK Profiltechnik 125 mm swivel castor with "stop-fix" brake combines high load capacity with reliable locking – pressed from high-quality sheet steel and featuring double ball bearings for long-lasting mobility.

Precise Design for Reliable Operation

- 125 mm wheel diameter: Ideal balance between manoeuvrability and smooth running at 700 g weight
- "Stop-fix" brake: Prevents unwanted rolling with secure wheel locking



- Double ball bearing: Dual bearing in the swivel head for smooth 360° steering movement
- Load capacity 120 kg: Sturdy construction for heavy transport goods and equipment

High-Quality Materials

Sheet steel body: Pressed from high-grade sheet steel and galvanised for corrosion resistance in industrial and outdoor applications. TPE tyre: Tread made of thermoplastic elastomer (TPE) – floor-friendly, wear-resistant, and quiet. Polypropylene rim: Durable wheel core made of high-quality polypropylene for long service life.

Typical Applications

- Transport trolleys: Mobile picking and tugger train systems with brake functionality
- Machine frames: Movable test benches and machine tools with secure positioning
- Workstations: Height-adjustable assembly tables and mobile workbenches
- Warehouse equipment: Roll containers and material trolleys for flexible handling

Discover the MUNK 125 mm swivel castor with brake – the reliable mobility aid that rolls when you need it and stands firm when it matters.

Scope of supply

Swivel castor: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis



- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Corporate certifications

Standards for quality and sustainability









