

Order no.: 050061

Work platform, with  
double-sided access,  
grooved aluminium



Number of steps

2x2

2x3

2x4



Specification

|                                     |                              |                             |                                                          |                                                      |
|-------------------------------------|------------------------------|-----------------------------|----------------------------------------------------------|------------------------------------------------------|
| Working height<br>3 m               | Platform height<br>970 mm    | Top surface depth<br>300 mm | Top surface width<br>410 mm                              | Step/Platform surface<br>Aluminium<br>corrugated     |
| Non-slip class<br>R9                | Base area length<br>1.5 m    | Base area width<br>640 mm   | Design type<br>Double-sided access<br>  Rigid            | Number of steps/rungs<br>2x 4 steps                  |
| Platform included as<br>step<br>Yes | Max. load capacity<br>150 kg | Material<br>Aluminium       | Transport dimensions<br>1030 x 1535 x 130<br>mm, 15.5 kg | Business division<br>MUNK Günzburger<br>Steigtechnik |
| Order no.<br>050061                 |                              |                             |                                                          |                                                      |

Facts

- Aluminium work platform
- Sturdy, welded bar design
- 200 mm deep steps ensuring a safe footing
- Top tread area: 400 x 300 mm
- Non-slip plastic shoes
- Easy assembly (shipping disassembled)

- Available in various step and platform designs
- Step spacing 240 mm
- Maximum load: 150 kg

### Scope of supply

- Platform: 1 x
- Instructions for use and operation: 1 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



### Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



### Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



### From small to large

- The right product for every application
- One-sided and two-sided variants



### Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



### Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport



## Certificates

---



# Corporate certifications

on sustainability criteria



Management  
System  
ISO 9001:2015  
ISO 14001:2015  
  
www.tuv.com  
ID 9108612548



Nachhaltigkeit

EcoVadis  
sustainable supply management

CSR-Rating in Silber 2022