



Order no.: 019809

# Spring castor for stepladder

Model versions

80 mm for right side

80 mm for left side

50 mm for right side

50 mm for left side

#### Specification

Product type Spare part	Castor diameter 80 mm	Material Galvanised steel   Aluminium	Transport dimensions 160 x 80 x 70 mm, 0.628 kg	Business division MUNK Günzburger Steigtechnik
Order no. 019809	Spare part for article no.	Spare part for article no.	Spare part for article no. 041114	Spare part for article no. 041228

#### **Facts**

- Spring-loaded castor for the lower ladder end
- 4 pieces are required for double-sided ladders:2x right, 2x left
- Note on castor retrofitting: To facilitate moving the double-sided ladders in the unloaded condition, the ladder sections must be joined together using two detachable metal struts (2 pcs., order no. 19831), which also increase stability



#### Scope of supply

Spring-loaded castor: 1 x

#### Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



## More product pictures





### Corporate certifications

#### on sustainability criteria







