



Order no.: 062009

Shaft ladder, V4A  
stainless steel, 300 mm  
clear width

Number of rungs

|    |    |    |   |   |   |    |    |    |
|----|----|----|---|---|---|----|----|----|
| 4  | 5  | 6  | 7 | 8 | 9 | 10 | 11 | 12 |
| 13 | 14 | 15 |   |   |   |    |    |    |

Specification

|                                                      |                         |                                  |                                 |                                                        |
|------------------------------------------------------|-------------------------|----------------------------------|---------------------------------|--------------------------------------------------------|
| Clear width<br>300 mm                                | Ladder length<br>2.52 m | Number of steps/rungs<br>9 rungs | Step depth<br>30 mm             | Depth of side-rails<br>50 mm                           |
| Width of side-rails<br>20 mm                         | Outer width<br>340 mm   | Max. load capacity<br>150 kg     | Material<br>Stainless steel V4A | Transport dimensions<br>2520 x 340 x 50 mm,<br>11.5 kg |
| Business division<br>MUNK Günzburger<br>Steigtechnik | Order no.<br>062009     |                                  |                                 |                                                        |

Facts

- Cured and passivated
- Clear width 300 mm
- Rectangular tube side-rails, 50 x 20 mm
- Non-slip perforated rungs
- Various wall anchors available as accessories

## Scope of supply

- Ladder: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Rational modular principle

- Shaft ladders in two widths and various lengths offer the right solution for every project
- Ideal for sewage treatment plants, landfills, retention basins, pump shafts, etc.
- Each individual component in the modular kit system meets the same quality and efficiency requirements
- Use of fall protection with wide design possible



### Mounting and fastening

- Quick and easy installation of the shaft ladders thanks to the optimised installation system
- Adjustable wall anchors for complex projects additionally facilitate installation
- Suitable accessories available for the different material versions



### Highest quality

- Stable rectangular tube side-rails
- High-strength rung-to-side-rail connection
- Non-slip perforated rungs



### Various material versions

- Depending on the application, shaft ladders made of steel, stainless steel and reinforced fibre glass are available
- Wall anchors and accessories are also available in several materials



### Entry aids

- Different variants in accordance with DIN standards and German Social Accident Insurance (DGUV) regulations for safe entry and exit
- Available in various materials to match the ladders



Certificates

---



24KFP1133-01 -  
Test Certificate  
"Bauart geprüft"

Valid in



DIN EN 14396:2004

# Corporate certifications

on sustainability criteria



Management  
System  
ISO 9001:2015  
ISO 14001:2015  
  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**

**EcoVadis**  
sustainable supply management

CSR-Rating in Silber 2022