MUNK
Sicherheit. Made in Germany.

Order no.: 062011

# Shaft ladder, V4A stainless steel, 300 mm clear width

Number of rungs

4 5 6 7 8 9 10 **11** 12 13 14 15

## Specification

| | | | | |
|---|---|---|---|---|
| Clear width<br>300 mm | Ladder length<br>3.08 m | Number of steps/rungs<br>11 rungs | Step depth<br>30 mm | Depth of side-rails<br>50 mm |
| Width of side-rails<br>20 mm | Outer width<br>340 mm | Max. load capacity<br>150 kg | Material<br>Stainless steel V4A | Transport dimensions<br>3080 x 340 x 50 mm, 14 kg |
| Business division<br>MUNK Günzburger Steigtechnik | Order no.<br>062011 | | | |

## Facts

- Cured and passivated
- Clear width 300 mm
- Rectangular tube side-rails, 50 x 20 mm
- Non-slip perforated rungs
- Various wall anchors available as accessories

## Scope of supply

- Ladder: 1 x

## Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures



## Added value

### Rational modular principle

- Shaft ladders in two widths and various lengths offer the right solution for every project
- Ideal for sewage treatment plants, landfills, retention basins, pump shafts, etc.
- Each individual component in the modular kit system meets the same quality and efficiency requirements
- Use of fall protection with wide design possible

### Various material versions

- Depending on the application, shaft ladders made of steel, stainless steel and reinforced fibre glass are available
- Wall anchors and accessories are also available in several materials

### Mounting and fastening

- Quick and easy installation of the shaft ladders thanks to the optimised installation system
- Adjustable wall anchors for complex projects additionally facilitate installation
- Suitable accessories available for the different material versions

### Entry aids

- Different variants in accordance with DIN standards and German Social Accident Insurance (DGUV) regulations for safe entry and exit
- Available in various materials to match the ladders

### Highest quality

- Stable rectangular tube side-rails
- High-strength rung-to-side-rail connection
- Non-slip perforated rungs

## Certificates

24KFP1133-01 - Test Certificate "Bauart geprüft"

Valid in

DIN EN 14396:2004

MUNK
Sicherheit. Made in Germany.

# Corporate certifications

## on sustainability criteria