



Case without lid









Specification

Box size	Number of handles	Position of handles	Cover	Wall type
1-O	2	B,D	No	perforated
Inner width	Inner height	Inner length	Foam inlay	Dividers
365 mm	195 mm	565 mm	No	without division
incl. premium tools No	Weight 3 kg	Transport dimensions 598 x 396 x 220 mm, 3 kg	Business division MUNK Rettungstechnik	Order no. 114036

Facts

- Stackable aluminium transport case
- Produced in accordance with DIN 14880
- High material strength and corrosion resistance
- Side walls perforated, Ø?10?mm
- Spring-loaded carry handles on front sides
- Permissible load: 105 kg

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

■ Corporate certification: EN 1090



- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures







Added value

Highest quality

- User-friendly and robust design
- Multiple riveted hinges
- High material strength and corrosion resistance



Safe stacking

- All-round stacking edge or impact-resistant plastic corners
- Compact transport design



Guide to handle arrangement

Our illustration depicts the handle arrangement of our cases and crates.



Versatile

- All-round seal in the edge profile to protect against dust and moisture
- Hinged covers or perforated side walls
- Different sizes



Firmly closed

- With device for padlock or barrel lock
- Optional with lock set

Size chart

Size 1: 600 x 220 x 400 Size 2: 400 x 220 x 300 Size 3: 600 x 150 x 400 Size 4: 400 x 150 x 300 Size 5: 600 x 220 x 265 Size 6: 800 x 330 x 400

Dimensions W x H x D in mm



Corporate certifications

on sustainability criteria







