



Order no.: 044507

## Step shelf ladder, rotating for double shelf

Number of steps

- 6
- 7
- 8
- 9
- 10
- 11
- 12

### Specification

|                                                         |                                                          |                                                          |                                                          |                                                      |
|---------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|------------------------------------------------------|
| Working height<br>3.67 m                                | Step design<br>Steps                                     | Number of steps/rungs<br>7 steps                         | Step width<br>350 mm                                     | Step depth<br>80 mm                                  |
| Step/Rung distance<br>235 mm                            | Vertical hook-in height<br>2.82 m                        | Ladder length<br>2.03 m                                  | Base area<br>1.07 m                                      | Inclination<br>70 °                                  |
| Outer width<br>400 mm                                   | Castor diameter<br>80 mm                                 | Max. load capacity<br>150 kg                             | Design type<br>Mobile   Rotatable  <br>With castors      | Transport dimensions<br>2071 x 580 x 86 mm,<br>6 kg  |
| Transport dimensions 2<br>1390 x 45 x 45 mm,<br>2.98 kg | Transport dimensions 3<br>400 x 198 x 155 mm,<br>2.56 kg | Transport dimensions 4<br>400 x 198 x 155 mm,<br>2.56 kg | Transport dimensions 5<br>1047 x 405 x 105<br>mm, 3.5 kg | Business division<br>MUNK Günzburger<br>Steigtechnik |
| Order no.<br>044507                                     |                                                          |                                                          |                                                          |                                                      |

### Facts

- Step shelf ladder made of aluminium
- Stable rectangular tube side-rails
- Grooved steps with a depth of 80 mm

- 4-fold edged step-to-side-rail connection
- For double shelves with aisle widths up to 1.60 m (variations up to 20 mm are compensated for by the chassis)
- Ladder easy to move thanks to smooth-running roll-top
- Self-locking spring-loaded castors, Ø 80 mm, at the lower end
- Non-slip ladder shoes
- Step spacing: 235 mm
- Ladder width: 400 mm (without castors)
- Ladder width with castors: 580 mm
- Ladder inclination: 70°
- Maximum load: 150 kg
- Note: Shelf ladders are manufactured in standard lengths stated here as well as individually made to measure. Please indicate the exact vertical hook-in height – the price includes the next higher ladder and a flat rate for changes of 51.00 euros RRP excluding VAT. Shelf ladders made to size are non-returnable

### Scope of supply

- Instructions for use and operation: 1 x
- Ladder: 1 x

### Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size

- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

### More product pictures

---



## Added value

---

### Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



### Versatile solutions

- Ladders available in standard lengths or individual dimensions
- Available with and without roll-top as well as a rotatable version
- Optional spring-loaded castors
- For single and double-sided shelves



### Rail system

- Made-to-measure production of the rail system
- Easy assembly of all components



## Corporate certifications

on sustainability criteria



Management  
System  
ISO 9001:2015  
ISO 14001:2015  
  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**

**EcoVadis**  
sustainable supply management

CSR-Rating in Silber 2022