



Order no.: 061265

Ladder section anodised aluminium

Length [mm]

1960

2800

3640

Specification

Length	Outer width	Step width	Step/Rung height	Step depth
2.8 m	520 mm	470 mm	30 mm	30 mm
Step/Rung distance	Number of steps/rungs	Depth of side-rails	Max. load capacity	Material
280 mm	10 rungs	60 mm	150 kg	Anodised aluminium
Transport dimensions 2795 x 520 x 60 mm, 5.5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 061265	Spare part for article no. 500125	Spare part for article no. 500105
Spare part for article no. 500110	Spare part for article no. 500120	Spare part for article no. 500100		

Facts

■ Ladder width 520 mm

Rung distance: 280 mm

■ Side-rail dimensions: 60 x 25 mm

■ Dimension of rungs: 30 x 30 mm



 Rung design: with anodised aluminium and bright aluminium grooved rungs, with galvanised steel and stainless steel perforated rungs

Scope of supply

Ladder section: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard,
 small amounts of plastic
- No health hazards for the users



More product pictures



Added value

Optimum planning

- Practical planning aids (available as <u>Downloads</u>) with tips for correct planning of vertical ladder systems
- Planning in close coordination with the client as well as the place and purpose of use
- Joint project planning





Corporate certifications

on sustainability criteria







