MUNK
Sicherheit. Made in Germany.

Order no.: 063273

Special wall bracket, adjustment range 800-900mm, galvanised steel

Wall clearance min [mm]

500 | 600 | 700 | 800

Specification

Wall distance 800 mm	Wall anchor Single	Wall distance min. 800 mm	Wall distance max. 900 mm	Adjustment range 100 mm
Material Galvanised steel	Transport dimensions 813 x 200 x 200 mm, 13.5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 063273	

Facts

- Available for wall clearances of 500–900 mm
- Good anchoring for different wall types
- Steel quality ensures a high load-bearing capacity
- 1 set comprising 1x right, 1x left

Scope of supply

- Wall anchor: 2 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Optimum planning

- Practical planning aids (available as Downloads) with tips for correct planning of vertical ladder systems
- Planning in close coordination with the client as well as the place and purpose of use
- Joint project planning

MUNK
Sicherheit. Made in Germany.

Corporate certifications

on sustainability criteria