

Order no.: 019631

Withdrawal block upper ladder multi-purpose ladder with rungs





Specification

| Product type | Length | Width | Height | Material |
|---|--|---------------------|--------|----------|
| Spare part | 34 mm | 17 mm | 10 mm | Plastics |
| Transport dimensions 50 x 35 x 13 mm, 0.03 kg | Business division MUNK Günzburger Steigtechnik | Order no. 019631 | | |

Facts

- Prevents removal of the attached push-up extension ladder section
- Easy to install and adapt to existing ladders
- Prevents the removal of the attached push-up extension ladder section as per DIN EN 131-1 with a ladder length of more than 3.0 m. For retrofitting to ladders manufactured before the change to the standard



Scope of supply

Withdrawal block: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures







Corporate certifications

on sustainability criteria







