



Order no.: 070507

Safety door on front side

Suitable for scaffolding width

0.75 m

1.35 m

Specification

Length 725 mm	Width 70 mm	Height 1.06 m	Scaffolding width 750 mm	Suitable for Mobile scaffolding   Folding scaffolding
Transport dimensions 1065 x 650 x 105 mm, 7 kg	Business division MUNK Günzburger Steigtechnik	Order no. 070507		

Facts

- For converting standard mobile scaffolding towers to meet special requirements
- These accessories are produced in accordance with DIN EN 1004
- Delivery time: 10 working days

Scope of supply

- Security door: 1 x
- Installation material: 1 x

Information on sustainability criteria

- 
- Corporate certification: ISO 9001
  - Corporate certification: ISO 14001
  - Corporate certification: EN 1090
  - Corporate certification: EcoVadis
  - RoHS
  - REACH
  - The MUNK Group complies with a Code of Conduct
  - The Supply Chain Act does not apply due to our size
  - The materials used are listed in the technical specification
  - Resource-saving production: own photovoltaic systems
  - Energy-efficient consumption during production: LED lighting
  - Repairability, durability and quality: 15-year warranty on series products made in Germany
  - Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
  - Socially acceptable working conditions in production: fair wages, gender equality
  - Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
  - No health hazards for the users

## More product pictures

---



# Corporate certifications

on sustainability criteria



Management  
System  
ISO 9001:2015  
ISO 14001:2015  
  
www.tuv.com  
ID 9108612548



**Nachhaltigkeit**

**EcoVadis**  
sustainable supply management

CSR-Rating in Silber 2022